



Special Care

1. M4g Surgical Wounds  
with M5f Surgical Wound Care

<b>Bed Mobility</b>	G1aA Independent (0)	1
<b>Transfer</b>	G1bA Limited Assistance (2)	3
<b>Toilet Use</b>	G1iA Limited Assistance (2)	3
<b>Eating</b>	G1hA Total Dependence (4)	3
<b>Total</b>	The CMI will decrease when the ADL score decreases to 6.	10

The assessment will classify as SE2 (1.70) when the CPS Score rises to 3. Review Impaired Cognition: B2a=0, B4=1, C4=1

Bed Mobility Self-		
G1aA Performance	0	_____
Bed Mobility Support		
G1aB Provided	0	_____
G1bA Transfer Self-Performance	2	_____
G1bB Transfer Support Provided	2	_____
G1hA Eating Self-Performance	4	_____
G1iB Toileting Self-Performance	2	_____
G1iB Toileting Support Provided	2	_____
M4g Surgical wounds	1	_____
M5f Surgical wound care	1	_____
P1aj Tracheostomy care	1	_____

10 M3PI TESTREC 1252B, FIRSTNAME M 01/01/1944 M 900-00-1252

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) SE1 1.45

P1aj Tracheostomy Care

Extensive Count: 1

1. Impaired Cognition

Impaired Cognition

CPS: 3-Making Self Understood Sometimes C4 (2), Cognitive Skills Modified B4 (1)

<b>Bed Mobility</b>	G1aA Total Dependence (4), G1aB Two+ Physical Assist (3)	5
<b>Transfer</b>	G1bA Total Dependence (4), G1bB Two+ Physical Assist (3)	5
<b>Toilet Use</b>	G1iA Total Dependence (4), G1iB Two+ Physical Assist (3)	5
<b>Eating</b>	G1hA Limited Assistance (2)	2
<b>Total</b>	The CMI will decrease when the ADL score decreases to 6.	17

P7 Physician Visits (0), P8 Physician Order Changes (4). Clinically Complex qualification requires Visits >= 1. The assessment will classify as SE2 (1.70) when a Clinically Complex qualification is met.

Bed Mobility Self-		
G1aA Performance	4	_____
Bed Mobility Support		
G1aB Provided	3	_____
G1bA Transfer Self-Performance	4	_____
G1bB Transfer Support Provided	3	_____
G1hA Eating Self-Performance	2	_____
G1iB Toileting Self-Performance	4	_____
G1iB Toileting Support Provided	3	_____
Cognitive Skills/Daily		
B4 Decision Making	1	_____

C4 Making Self Understood 2 \_\_\_\_\_  
 P1aj Tracheostomy care 1 \_\_\_\_\_

4 M3PI TESTREC 486, FIRSTNAME M 01/01/1944 M 000-00-0486

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) SSA 1.25

P1al Ventilator or Respirator

**Bed Mobility** G1aA Independent (0) 1  
**Transfer** G1bA Independent (0) 1  
**Toilet Use** G1iA Independent (0) 1  
**Eating** G1hA Independent (0) 1  
**Total** The CMI will increase when the ADL score increases to 7. 4

This assessment will classify as SE2 (1.7) if the ADL score rises to 7.

Bed Mobility Self-  
 G1aA Performance 0 \_\_\_\_\_  
 Bed Mobility Support  
 G1aB Provided 0 \_\_\_\_\_  
 G1bA Transfer Self-Performance 0 \_\_\_\_\_  
 G1bB Transfer Support Provided 0 \_\_\_\_\_  
 G1hA Eating Self-Performance 0 \_\_\_\_\_  
 G1iB Toileting Self-Performance 0 \_\_\_\_\_  
 G1iB Toileting Support Provided 0 \_\_\_\_\_  
 P1al Ventilator or respirator 1 \_\_\_\_\_

1 M3PI TESTREC 75, FIRSTNAME M 01/01/1944 M 000-00-0075

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) CC1 1.23

1. K5b Tube Feeding (See Eating ADL)

**Bed Mobility** G1aA Total Dependence (4), G1aB Two+ Physical Assist (3) 5  
**Transfer** G1bA Total Dependence (4), G1bB Two+ Physical Assist (3) 5  
**Toilet Use** G1iA Total Dependence (4), G1iB Two+ Physical Assist (3) 5  
**Eating** K5b Feeding Tube, K6a Parenteral/Enteral Intake 26% to 50% (2), K6b Parenteral/Enteral Fluid Intake 501 to 1000cc/day (2) 3  
**Total** The CMI will decrease when the ADL score decreases to 16. 18

Bed Mobility Self-  
 G1aA Performance 4 \_\_\_\_\_  
 Bed Mobility Support  
 G1aB Provided 3 \_\_\_\_\_  
 G1bA Transfer Self-Performance 4 \_\_\_\_\_  
 G1bB Transfer Support Provided 3 \_\_\_\_\_  
 G1hA Eating Self-Performance 0 \_\_\_\_\_  
 G1iB Toileting Self-Performance 4 \_\_\_\_\_  
 G1iB Toileting Support Provided 3 \_\_\_\_\_  
 K5b Feeding tube 1 \_\_\_\_\_  
 K6a Total calories (%) received in last 7 days 2 \_\_\_\_\_  
 Average fluid intake (daily)

K6b in last 7 days 2 \_\_\_\_\_

3 M3PI TESTREC 437, FIRSTNAME M 01/01/1944 M 000-00-0437

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) CA1 0.92

1. M6f Application of Dressings and M6c Open Lesions on the Foot

<b>Bed Mobility</b>	G1aA Extensive Assistance (3), G1aB Two+ Physical Assist (3)	5
<b>Transfer</b>	G1bA Independent (0)	1
<b>Toilet Use</b>	G1iA Independent (0)	1
<b>Eating</b>	G1hA Limited Assistance (2)	2
<b>Total</b>	The CMI will increase when the ADL score increases to 12.	9

The following RUG condition would have triggered had the ADL score been higher:

1. Special Care SSA (1.25): Cerebral Palsy, ADL must be >= 10

Bed Mobility Self-		
G1aA Performance	3	_____
Bed Mobility Support		
G1aB Provided	3	_____
G1bA Transfer Self-Performance	0	_____
G1bB Transfer Support Provided	0	_____
G1hA Eating Self-Performance	2	_____
G1iB Toileting Self-Performance	0	_____
G1iB Toileting Support Provided	0	_____
M6c Open lesions on foot	1	_____
M6f Application of dressings	1	_____

5 M3PI TESTREC 1121B, FIRSTNAME M 01/01/1944 M 900-00-1121

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) CB2 1.13

1. P1ag Oxygen Therapy

Indicators of Depression, Anxiety, Sad Mood

1. E1c (1) Repetitive verbalizations
2. E1d (1) Persistent anger with self or others
3. E1h (1) Repetitive health complaints
4. E1m (1) Crying, tearfulness

<b>Bed Mobility</b>	G1aA Total Dependence (4), G1aB Two+ Physical Assist (3)	5
<b>Transfer</b>	G1bA Total Dependence (4), G1bB Two+ Physical Assist (3)	5
<b>Toilet Use</b>	G1iA Total Dependence (4), G1iB Two+ Physical Assist (3)	5
<b>Eating</b>	G1hA Supervision (1)	1
<b>Total</b>	The CMI will decrease when the ADL score decreases to 11 and will increase when the ADL score increases to 17.	16

Bed Mobility Self-		
G1aA Performance	4	_____
Bed Mobility Support		
G1aB Provided	3	_____
G1bA Transfer Self-Performance	4	_____
G1bB Transfer Support Provided	3	_____
G1hA Eating Self-Performance	1	_____
G1iB Toileting Self-Performance	4	_____

G1iB	Toileting Support Provided	3	_____
E1c	Repetitive verbalizations	1	_____
E1d	Persistent anger with self/others	1	_____
E1h	Repetitive health complaints	1	_____
E1m	Crying/tearfulness	1	_____
P1ag	Oxygen therapy	1	_____

11 M3PI TESTREC 1564B, FIRSTNAME M 01/01/1944 M 900-00-1564

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) CA1 0.92

1. P1ah Radiation Treatment

1. P7 Physician Visits (4), P8 Physician Order Changes (2). Either (A) or (B):

- (A) Visits >= 1 day and Order Changes >= 4 days
- (B) Visits >= 2 days and Order Changes >= 2 days

<b>Bed Mobility</b>	G1aA Independent (0)		1
<b>Transfer</b>	G1bA Independent (0)		1
<b>Toilet Use</b>	G1iA Independent (0)		1
<b>Eating</b>	G1hA Independent (0)		1
<b>Total</b>	The CMI will increase when the ADL score increases to 7.		4

This assessment will classify as SSA (1.25) if the ADL score rises to 7.

Total Therapy Days: 5, Total Therapy Minutes: 135, OT Days (P1bbA): 2, Minutes (P1bbB): 60, PT Days (P1bcA): 3, Minutes (P1bcB): 75

When the number of total minutes reaches 150 or more, the RUG score will increase to RAA (1.06).

Bed Mobility Self-			
G1aA	Performance	0	_____
Bed Mobility Support			
G1aB	Provided	0	_____
G1bA	Transfer Self-Performance	0	_____
G1bB	Transfer Support Provided	0	_____
G1hA	Eating Self-Performance	0	_____
G1iB	Toileting Self-Performance	0	_____
G1iB	Toileting Support Provided	0	_____
P1ah	Radiation	1	_____
P7	Physician Visits	04	_____
P8	Physician Orders	02	_____

2 M3PI TESTREC 90, FIRSTNAME M 01/01/1944 M 000-00-0090

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) PA1 0.57

<b>Bed Mobility</b>	G1aA Independent (0)		1
<b>Transfer</b>	G1bA Independent (0)		1
<b>Toilet Use</b>	G1iA Independent (0)		1
<b>Eating</b>	G1hA Independent (0)		1
<b>Total</b>	The CMI will increase when the ADL score increases to 6.		4

The assessment will classify at PA2 (0.60) when another Nursing Restorative Service is added.

1. H3a Any Scheduled Toileting Plan (✓) and/or H3b Bladder Retraining Program (✓)

P3a Passive (5) and/or P3b Active (5) Range of Motion, P3d Bed Mobility (5) and/or P3f Walking (5), P3c Splint or Brace Assistance (5), P3e Transfer Training (5), P3g Dressing or Grooming Training (5), P3h Eating or Swallowing Training (5), P3i Amputation/Prosthesis Care (5), P3j Communication Training (5)

Bed Mobility Self-		
G1aA Performance	0	_____
Bed Mobility Support		
G1aB Provided	0	_____
G1bA Transfer Self-Performance	0	_____
G1bB Transfer Support Provided	0	_____
G1hA Eating Self-Performance	0	_____
G1iB Toileting Self-Performance	0	_____
G1iB Toileting Support Provided	0	_____

6 M3PI TESTREC 1514B, FIRSTNAME M 01/01/1944 M 900-00-1514

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) PD1 0.83

<b>Bed Mobility</b>	G1aA Extensive Assistance (3), G1aB One Person Physical Assist (2)	4
<b>Transfer</b>	G1bA Extensive Assistance (3), G1bB One Person Physical Assist (2)	4
<b>Toilet Use</b>	G1iA Total Dependence (4), G1iB One Person Physical Assist (2)	4
<b>Eating</b>	G1hA Supervision (1)	1
<b>Total</b>	The CMI will decrease when the ADL score decreases to 10 and will increase when the ADL score increases to 16.	13

P7 Physician Visits (1), P8 Physician Order Changes (2). Clinically Complex qualification requires Visits >= 2 or Order Changes >= 4. The assessment will classify as CB1 (1.01) when a Clinically Complex qualification is met.

Bed Mobility Self-		
G1aA Performance	3	_____
Bed Mobility Support		
G1aB Provided	2	_____
G1bA Transfer Self-Performance	3	_____
G1bB Transfer Support Provided	2	_____
G1hA Eating Self-Performance	1	_____
G1iB Toileting Self-Performance	4	_____
G1iB Toileting Support Provided	2	_____

9 M3PI TESTREC 1251B, FIRSTNAME M 01/01/1944 M 900-00-1251

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 90-Day (00/4) PC1 0.8

<b>Bed Mobility</b>	G1aA Limited Assistance (2)	3
<b>Transfer</b>	G1bA Limited Assistance (2)	3
<b>Toilet Use</b>	G1iA Limited Assistance (2)	3
<b>Eating</b>	G1hA Supervision (1)	1
<b>Total</b>	The CMI will decrease when the ADL score decreases to 8 and will increase when the ADL score increases to 11.	10

The assessment will classify as IB1 (0.82) when the CPS Score rises to 3. Review Impaired Cognition: B2a=1, B4=1, C4=1

Bed Mobility Self-		
G1aA Performance	2	_____
Bed Mobility Support		

G1aB Provided	2	_____
G1bA Transfer Self-Performance	2	_____
G1bB Transfer Support Provided	2	_____
G1hA Eating Self-Performance	1	_____
G1iB Toileting Self-Performance	2	_____
G1iB Toileting Support Provided	2	_____

---

---

**End of Report**