

RUG-III Analyzer MDS Submission File Report

ABC NURSING FACILITY	15 Processed Records
000999	9/15/2005 7:36:12 AM
151677	democombination.mds
Georgia 5.12 34-Group Index Maximize	IN0009990000003.MDS

3 M3PI TESTREC 437, FIRSTNAME M 01/01/1944 M 000-00-0437

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) CA1 0.934

1. M6f Application of Dressings and M6c Open Lesions on the Foot

Bed Mobility	G1aA Extensive Assistance (3), G1aB Two+ Physical Assist (3)	5
Transfer	G1bA Independent (0), G1bB No Support (0)	1
Toilet Use	G1iA Independent (0), G1iB No Support (0)	1
Eating	G1hA Limited Assistance (2)	2
Total	The RUG will increase to CB1 (1.154) when the ADL score increases to 12.	9

CPS: 0

The following RUG condition would have triggered had the ADL score been higher:

1. Special Care SSA (1.709): Cerebral Palsy, ADL must be >= 10

11 M3PI TESTREC 1564B, FIRSTNAME M 01/01/1944 M 900-00-1564

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) CA1 0.934

1. P1ah Radiation Treatment

1. P7 Physician Visits (4), P8 Physician Order Changes (2). Either (A) or (B):

(A) Visits >= 1 day and Order Changes >= 4 days

(B) Visits >= 2 days and Order Changes >= 2 days

Bed Mobility	G1aA Independent (0), G1aB No Support (0)	1
Transfer	G1bA Independent (0), G1bB No Support (0)	1
Toilet Use	G1iA Independent (0), G1iB No Support (0)	1
Eating	G1hA Independent (0)	1
Total	The RUG will increase to SSA (1.709) when the ADL score increases to 7.	4

CPS: 0

This assessment will classify as SSA (1.709) if the ADL score rises to 7.

Total Therapy Days: 5, Total Therapy Minutes: 135, OT Days (P1bbA): 2, Minutes (P1bbB): 60, PT Days

(P1bcA): 3, Minutes (P1bcB): 75

When the number of total minutes reaches 150 or more, the RUG score will increase to RAA (1.472).

4 M3PI TESTREC 486, FIRSTNAME M 01/01/1944 M 000-00-0486

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) SSA 1.709

P1aI Ventilator or Respirator

Bed Mobility	G1aA Independent (0), G1aB No Support (0)	1
Transfer	G1bA Independent (0), G1bB No Support (0)	1
Toilet Use	G1iA Independent (0), G1iB No Support (0)	1
Eating	G1hA Independent (0)	1
Total	The RUG will increase to SE2 (2.316) when the ADL score increases to 7.	4

CPS: 3-Cognitive Skills Moderately Impaired B4 (2), Short-Term Memory Problem B2a (1)

This assessment will classify as SE2 (2.316) if the ADL score rises to 7.

7 M3PI TESTREC 987 B, FIRSTNAME M 01/01/1944 M 900-00-0987

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) SE2 2.316

K5a Parenteral/IV, P1ac IV Medication

Extensive Count: 3

1. K5a Parenteral/IV Nutrition
2. P1ac IV Medication
3. Clinically Complex

Clinically Complex

1. P7 Physician Visits (2), P8 Physician Order Changes (14). Either (A) or (B):

- (A) Visits >= 1 day and Order Changes >= 4 days
- (B) Visits >= 2 days and Order Changes >= 2 days

Bed Mobility	G1aA Limited Assistance (2), G1aB One Person Physical Assist (2)	3
Transfer	G1bA Limited Assistance (2), G1bB One Person Physical Assist (2)	3
Toilet Use	G1iA Limited Assistance (2), G1iB One Person Physical Assist (2)	3
Eating	K5a Parenteral/IV	3
Total	The RUG will decrease to SSA (1.709) when the ADL score decreases to 6.	12

CPS: 2-B2a=1, B4=1, C4=0

The assessment will classify as SE3 (2.839) when the CPS Score rises to 3.

8 M3PI TESTREC 1000B, FIRSTNAME M 01/01/1944 M 900-00-1000

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) SE1 1.943

P1aj Tracheostomy Care

Extensive Count: 1

1. Special Care

Special Care

1. M4g Surgical Wounds
with M5f Surgical Wound Care

Bed Mobility	G1aA Independent (0), G1aB No Support (0)	1
Transfer	G1bA Limited Assistance (2), G1bB One Person Physical Assist (2)	3
Toilet Use	G1iA Limited Assistance (2), G1iB One Person Physical Assist (2)	3
Eating	G1hA Total Dependence (4)	3
Total	The RUG will decrease to SSA (1.709) when the ADL score decreases to 6.	10

CPS: 2-B2a=0, B4=1, C4=1

The assessment will classify as SE2 (2.316) when the CPS Score rises to 3.

10 M3PI TESTREC 1252B, FIRSTNAME M 01/01/1944 M 900-00-1252

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) SE1 1.943

P1aj Tracheostomy Care

Extensive Count: 1

1. Impaired Cognition

Impaired Cognition

Bed Mobility	G1aA Total Dependence (4), G1aB Two+ Physical Assist (3)	5
Transfer	G1bA Total Dependence (4), G1bB Two+ Physical Assist (3)	5
Toilet Use	G1iA Total Dependence (4), G1iB Two+ Physical Assist (3)	5
Eating	G1hA Limited Assistance (2)	2
Total	The RUG will decrease to SSA (1.709) when the ADL score decreases to 6.	17

CPS: 3-Making Self Understood Sometimes C4 (2), Cognitive Skills Modified B4 (1)

P7 Physician Visits (0), P8 Physician Order Changes (4). Clinically Complex qualification requires Visits >= 1. The assessment will classify as SE2 (2.316) when a Clinically Complex qualification is met.

5 M3PI TESTREC 1121B, FIRSTNAME M 01/01/1944 M 900-00-1121

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) CB2 1.247

1. P1ag Oxygen Therapy

Indicators of Depression, Anxiety, Sad Mood

1. E1c (1) Repetitive verbalizations
2. E1d (1) Persistent anger with self or others
3. E1h (1) Repetitive health complaints
4. E1m (1) Crying, tearfulness

Bed Mobility	G1aA Total Dependence (4), G1aB Two+ Physical Assist (3)	5
Transfer	G1bA Total Dependence (4), G1bB Two+ Physical Assist (3)	5
Toilet Use	G1iA Total Dependence (4), G1iB Two+ Physical Assist (3)	5
Eating	G1hA Supervision (1)	1
Total	The RUG will decrease to CA2 (1.043) when the ADL score decreases to 11 and will increase to CC2 (1.425) when the ADL score increases to 17.	16

CPS: 2-B2a=0, B4=1, C4=1

2 M3PI TESTREC 90, FIRSTNAME M 01/01/1944 M 000-00-0090

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) PA1 0.575

Bed Mobility	G1aA Independent (0), G1aB No Support (0)	1
Transfer	G1bA Independent (0), G1bB No Support (0)	1
Toilet Use	G1iA Independent (0), G1iB No Support (0)	1
Eating	G1hA Independent (0)	1
Total	The RUG will increase to PB1 (0.749) when the ADL score increases to 6.	4

CPS: 0

The assessment will classify at PA2 (0.637) when another Nursing Restorative Service is added.

1. H3a Any Scheduled Toileting Plan (✓) and/or H3b Bladder Retraining Program (✓)
- P3a Passive (5) and/or P3b Active (5) Range of Motion, P3d Bed Mobility (5) and/or P3f Walking (5), P3c Splint or Brace Assistance (5), P3e Transfer Training (5), P3g Dressing or Grooming Training (5), P3h Eating or Swallowing Training (5), P3i Amputation/Prosthesis Care (5), P3j Communication Training (5)

9 M3PI TESTREC 1251B, FIRSTNAME M 01/01/1944 M 900-00-1251

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) PC1 0.865

Bed Mobility G1aA Limited Assistance (2), G1aB One Person Physical Assist (2) 3
Transfer G1bA Limited Assistance (2), G1bB One Person Physical Assist (2) 3
Toilet Use G1iA Limited Assistance (2), G1iB One Person Physical Assist (2) 3
Eating G1hA Supervision (1) 1
Total The RUG will decrease to PB1 (0.749) when the ADL score decreases to 8 and will increase to PD1 (0.990) when the ADL score increases to 11. 10

CPS: 2-B2a=1, B4=1, C4=1

The assessment will classify as IB1 (0.938) when the CPS Score rises to 3.

6 M3PI TESTREC 1514B, FIRSTNAME M 01/01/1944 M 900-00-1514

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) PD1 0.99

Bed Mobility G1aA Extensive Assistance (3), G1aB One Person Physical Assist (2) 4
Transfer G1bA Extensive Assistance (3), G1bB One Person Physical Assist (2) 4
Toilet Use G1iA Total Dependence (4), G1iB One Person Physical Assist (2) 4
Eating G1hA Supervision (1) 1
Total The RUG will decrease to IB2 (0.938) when the ADL score decreases to 10 and will increase to PE1 (1.077) when the ADL score increases to 16. 13

CPS: 3-Cognitive Skills Moderately Impaired B4 (2), Short-Term Memory Problem B2a (1)

15 DE NIRO, ROBERT 10/22/1948 M 838-76-2343

Reference Date (A3a): 02/10/2005 RN Signature Date (R2b): 02/12/2005

Admission (01) IB2 1.061

1. P3a Passive (6) and/or P3b Active (7) Range of Motion
2. P3h Eating or Swallowing Training (6)
3. H3a Any Scheduled Toileting Plan (✓) and/or H3b Bladder Retraining Program (✓)

Bed Mobility G1aA Limited Assistance (2), G1aB Setup Help Only (1) 3
Transfer G1bA Supervision (1), G1bB No Support (0) 1
Toilet Use G1iA Extensive Assistance (3), G1iB One Person Physical Assist (2) 4
Eating G1hA Supervision (1) 1
Total The RUG will decrease to IA2 (0.777) when the ADL score decreases to 5 and will increase to PD2 (1.065) when the ADL score increases to 11. 9

CPS: 3-Making Self Understood Sometimes C4 (2), Short-Term Memory Problem B2a (1), Cognitive Skills Modified B4 (1)

1 M3PI TESTREC 75, FIRSTNAME M 01/01/1944 M 000-00-0075

Reference Date (A3a): 08/25/1996 RN Signature Date (R2b): 09/01/1996

None of the Above/Medicare 5-Day (00/1) CC1 1.311

1. K5b Tube Feeding (See Eating ADL)

Bed Mobility	G1aA Total Dependence (4), G1aB Two+ Physical Assist (3)	5
Transfer	G1bA Total Dependence (4), G1bB Two+ Physical Assist (3)	5
Toilet Use	G1iA Total Dependence (4), G1iB Two+ Physical Assist (3)	5
Eating	K5b Feeding Tube, K6a Parenteral/Enteral Intake 26% to 50% (2), K6b Parenteral/Enteral Fluid Intake 501 to 1000cc/day (2)	3
Total	The RUG will decrease to CB1 (1.154) when the ADL score decreases to 16.	18

CPS: 0

14 DE NIRO, ROBERT 10/22/1948 M 838-76-2343

Reference Date (A3a): 03/10/2005 RN Signature Date (R2b): 03/11/2005

Quarterly (05) SE2 2.316

P1aj Tracheostomy Care

Extensive Count: 2

1. Special Care
2. Impaired Cognition

Special Care

1. P1bdA Respiratory Therapy Seven (7) Days

Impaired Cognition

Bed Mobility	G1aA Limited Assistance (2), G1aB No Support (0)	3
Transfer	G1bA Limited Assistance (2), G1bB One Person Physical Assist (2)	3
Toilet Use	G1iA Limited Assistance (2), G1iB Setup Help Only (1)	3
Eating	G1hA Extensive Assistance (3)	3
Total	The RUG will decrease to SSA (1.709) when the ADL score decreases to 6.	12

CPS: 3-Making Self Understood Sometimes C4 (2), Cognitive Skills Modified B4 (1)

12 DE NIRO, ROBERT 10/22/1948 M 838-76-2343

Discharge Date (R4): 02/28/2005

Inactivation Request: Discharged-Return Anticipated (07)

13 DE NIRO, ROBERT 10/22/1948 M 838-76-2343

Discharge Date (R4): 03/15/2005

Discharged-Return Anticipated (07)

End of Report

ADL INDEX SCORING WORKSHEET							
Scores range from 4 to 18 based on the following areas:							
MDS SCORE							
Category	Self Performance	Support	Total	Category	Self Performance	Support	Total
BED MOBILITY (G1a), TRANSFER (G1b) and TOILET USE (G1i)	4	3 or 8	5	EATING SECTION: G, 1h	8	0-8	3
	4	0-2	4		4	0-8	3
	3	3 or 8	5		3	0-8	3
	3	0-2	4		2	0-8	2
	2	0-8	3		1	0-8	1
	1	0-8	1		0	0-8	1
0	0-8	1					

If **K5a**, Parenteral/IV is checked, the eating ADL score is 3. If **K5b**, Feeding Tube is checked and *either* (1) **K6a** is 51% or more or (2) **K6a** is 26% to 50% calories and **K6b** is 501cc or more per day fluid enteral intake, then the eating ADL score is 3.